

# DUROLAB

## LABORATORY GLASSWARE

### PRICE LIST 2018



# Corporate Profile

Dear Sir,

*Durolab* is a privately held, third generation manufacturing company and we have been serving the scientific community from last five and half decades.

We have got know that your company dealing in Lab Glassware and instruments. *Durolab* is just about to launch regional distribution outlets in many countries. After decades of sales and distribution throughout US, Australia, Europe and UK, we feel the time is right to enter the international market as an alternative importer of low cost goods. Unlike other foreign importers, India is the world's largest democracy and for the past century has maintained cordial trade relationships in Europe and the USA.

With this in mind, we have just begun our distributorship into the US market in the key canter: New Jersey . We believe there is ample capacity on our end to supply to more regional distributor ships in other key sectors of the USA and other countries. We are planning to meet with interested companies around the world offering the finest quality glassware at the lowest prices and have advanced capabilities in the following products: ·

*Durolab* offers all standard sized lab glass products in 3.3 Borosilicate glassware, Volumetric glassware and lab P.T.F.E - ware. Burettes, Pipettes, Volumetric, Flasks, Funnels, Condensers, Beakers, Standard joints, Stopcocks, Stoppers are some of our catalogue products. *Durolab* has maintained an excellent reputation in fabricating volumetric glassware (Burettes, Pipettes, Cylinders etc.) and a product line that offers a variety of analytical chemistry kits, for universities and the scientific and industrial researcher.

*Durolab* is a leader in innovative products, our nozzles for Burettes, Pipettes and Delivery Stopcocks on Columns are “machine toughened” to avoid chipping.

Our pricing is extremely low so as to allow our distributors the flexibility to adjust their pricing. For their consideration we try our best to restrict access to our wholesale prices. There is much more we would like to discuss with you and we would like to forward you our colourful catalogue, some sample brochures and our current price list. We are looking forward to start a very strong business relationship with you and have every hope that with your kind co-operation, we both shall certainly be able to enlarge our field of activities along with your esteemed organization.

With Regards,

**Durolab**

**Munish Dhiman**

**+919896215414**

## A

Acetylation Unit	67
Acetylation Unit	67
Adapter	71
Adapter Gooch Crucible	71
Air Condenser	12
Air Condenser.	15
Albuinometer	60
Allihn Condenser (Bulb Condenser)	14
Allihn Condenser (Bulb Condenser)	15
Ampule Filing Device	66
Automatic Acid Measure	26
Automatic Acid Measure	26
Automatic Pipettes, with Overflow Cup, Accuracy as per class "A"	25
Automatic Pipettes, with Overflow Cup, Accuracy as per class "B"	25

## B

Beakers Low Form, With Spout, Graduated,	35
Blood Sugar Tube	60
Bottle wide mouth with interchangeable stopper 15mm suba seals	45
Bottles Aspirator, with interchangeable stopper,	48
Bottles B.O.D with interchangeable stopper	49
Buckner Funnel, With Sintered Disc	43
Burettes with Pinch Cock Rubber Tubing and Glass Jet Accuracy as per "B"	16
Burettes with Screw Type Rota flow Stopcock with PTFE key Accuracy as per class "A"	16
Burettes with Screw Type Rota flow Stopcock with PTFE key Accuracy as per class "B"	17
Burettes with Straight Bore Glass Key Stopcock Accuracy as per "A"	16
Burettes with Straight Bore Glass Key Stopcock Accuracy as per "B"	16
Burettes With Straight Bore Glass Key Stopcock Accuracy As Per Class "b", Routine Quality (light Wall)	17
Burettes with Straight Bore PTFE Key Accuracy as per class "A"	17

Burettes with Straight Bore PTFE Key Accuracy as per class "B"	17
Burettes, Automatic Zero, mounted on Reservoir, with PTFE key, Stopcock	22
Burettes, Automatic Zero, mounted on Reservoir, with Rubber bellow Accuracy as per class "A"	21
Burettes, Automatic Zero, mounted on Reservoir, with Rubber bellow Accuracy as per class "B"	21
Burettes, Automatic Zero, Mounted On Reservoir, With Screw Type Rota Flow Stopcock	22
Burettes, Automatic Zero, Mounted On Reservoir, With Screw Type Rotaflow	21
Burettes, Double Bore Screw type Rota flow Stopcock with PTFE keys Accuracy as per class "A"	18
Burettes, Double Bore Screw Type Rota Flow Stopcock With PTFE Keys accuracy As Per Class "B"	19
Burettes, Double Oblique Bore PTFE Keys Stopcock 3-ways Accuracy As Per Class "A"	19
Burettes, Double Oblique Bore Stopcock,3-way Accuracy as per class "A"	18
Burettes, Double Oblique Bore Stopcock,3-way Accuracy as per class "B"	18
Burettes, Micro, Automatic, Filling Device With Reserboir Accuracy As Per Class "A"	21
Burettes, Micro, Automatic, Filling Device With Reservoir, Accuracy As Per Class "A"	20
Burettes, Overflow Cup, Automatic Zero, Double Bore Screw Type Rota Flow Stopcock With PTFE	20
Burettes, Overflow Cup, Automatic Zero, Double Bore Screw type Rota flow Stopcock with PTFE	20
Burettes, Overflow Cup, Automatic Zero, Double Oblique Bore PTFE	20
Burettes, Overflow Cup, Automatic Zero, Double Oblique Bore Stopcock 3-ways Accuracy As Per Class "A"	19
Burettes, Overflow Cup, Automatic Zero, Double Oblique Bore Stopcock 3-ways Accuracy As Per Class "B"19	
Burettes With Screw Type Rota Flow Stopcock With PTFE Key Accuracy As Per Class "B", Routine	18

**C**

Cap Fitted,with Hooks	2
Cassia Flask, With Graduated Long Neck	28
Centrifuge Tube Short, Conical Botom, Pour Out, Heavy Duty, plain, 40ml	33
Centrifuge Tube, Conical Bottom, Graduated With Interchangeable Stopper	33
Centrifuge Tube, Round Botom, Graduated	33
Centrifuge Tubes, Conical Bottom, Graduated	32
Centrifuge Tubes, Conical Bottom, Plain	32
Centrifuge Tubes, With Screw Cap Graduated	33
Centrifuge Tubes, with Screw Cap plain	32
Chromatography Absorption Assembly	57
Chromatography Absorption Assembly	57
Chromatography Absorption Columns, Plain with stopcock	59
Chromatography Apparatus	57
Chromatography Apparatus Semi Micro tap,	57
Chromatography Columns,	58
Chromatography Columns,	58
Chromatography Columns, Plain with screw type PTFE Rota flow stopcock	59
Chromatography Columns, with integral sintered disc W/o stopcocks	58
Chromatography Columns, with integral sintered disc, & stopcocks	58
Chromatography Columns, Plain with PTFE key stopcock	59
Co-Agulation tubes,	63
Coil Condenser (Graham Condenser).	15
Coil Condenser Graham, Coiled Distillate Type.	12
Coil Condenser Graham, jacket Distillate type	13
Colorimetric Tube66Colorimetric Tube	66
Colorimetric Tube without stopper	66
Cone Plain End, Double	1
Cones Plain End, Single	1
Conical Filter (hirsch Type) With Sintered Disc	43
Conical Flask Short Or Medium Neck With Socket	8
Counting Chamber	64
Cover Slips, (pack of 10gm)	64

**C**

Crow Receiver, Accuracy as per Class" A	30
Crow Receiver, Accuracy As Per Class" B"	30
Crucible, Gooch Type With Sintered	42
Cylinder, Rain Measure, Metric Scale Graduated	30
Cylinders, With Single Graduation Mark By 1000ml For Sedimentation Of Sand	30

**D**

Davies Condenser (Double Surface)	13
Dirt Correction Apparatus 1000ml with stopcock	67
Double Coil Condenser with common inlet	13
Dreyer's Agglutination, Conical Bottom	62
Dropping Bottles, fitted with ground in interchangeable stopper rubber teat	48
Dropping Funnel ,	38
Dropping Funnel ,cylindrical, Graduated With Screw Type	37
Dropping Funnel Cylindrical,	38
Dropping Funnel, Cylindrical	37
Dropping Funnel, Cylindrical With Interchangeable Stopper ,and Stopcock Plain Stem	37
Dropping Funnel, Cylindrical With Socket, Screw Type PTFE	39
Dropping Funnel, Cylindrical With Socket, Stopcock And Stem With Cone But Without Stopper	39
Dropping Funnel, Cylindrical, With Screw Type PTFE Key	37
Durham Tube, Rimless	63

**E**

E.S.R Tubes,	61
Expansion Adapters	3

## F

Filter Apparatus,	42
Filter Apparatus, Complete With Filter Flask,	42
Filter Pump, Edwards type heavy pattern, Brass	71
Filter Pump, University Patern	71
Filter Pump, Superior quality	71
Filtering Apparatus Wit's	42
Flask Buckner Filtration	9
Flask Buckner Filtration Bolt Neck	10
Flask Conical With Teflon Liner Screw Cap	10
Flask Distillation With Side Tube	10
Flask Erlenmeyer Conical Wide Mouth	11
Flask Erlenmeyer's Conical Graduated	11
Flask Kjeldhal	9
Flask Kjeldhal Round Bottom, Long Neck	11
Flask Pear Shaped (three, Side Neck Set At Angle Or Parallel)	10
Flask Pear Shaped Single Neck	9
Flask Pear Shaped Two Neck, Side Neck At Angle	9
Flask Volumetric (measuring) ,with Screw Cap, Accuracy As Per Class "A"	27
Flask Volumetric (measuring), With Interchangeable Stopper Accuracy As Per Class "B"	27
Flask Volumetric (measuring), With Interchangeable Stopper, Accuracy As Per Class "A"	27
Flask Volumetric Sugar Estimation With Two Marks Without Stopper, Accuracy As Per Class "A"	28
Flask Volumetric Sugar Estimation With Two Marks Without stopper, Accuracy As Per Class "B"	28
Flasks Flat Or Round Bottom Short Or Medium Neck With Socket	7
Flasks Round Bottom (three, Side Neck Set At Angle Or Parallel)	8
Flasks Round Bottom, Two neck at angle or parallel	8
Fractionating Columns Dufton	40
Fractionating Columns Pear Shaped Bulbs	41
Fractionating Columns, Pear Bulb	40
Fractionating Columns, Plain designed for use with various types of columns packing	40
Fractionating Columns, Rod And Disc Pattern	41
Fractionating Columns, Vigrex	40
Friedrich Condenser	14

## H

Haemocytometer,	65
-----------------	----

## I

Inland Revenue Condenser	14
Iodine Flask With Interchangeable Stopper	11

## J

Jacketed Coil Condenser	14
-------------------------	----

## K

Kahn's Antigen Dilution Tube,	62
Kjeldhal bulb connecting ,sloping, single	67
Kjeldhal bulb connecting with two bulbs	67
Kohlrash Flasks (mud Flask) With Cup At Top Accuracy As Per Class "A"	28
Kohlrash Flasks (mud Flask) With Cup At Top Accuracy As Per Class "A"	28

## L

Lechatelier Flask, For Sp.gr. Test Bulb Cap. Approx.	28
Lei big Condenser	15
Leibig Condenser	12
Leighton Tubes, For Culture Work, With Screw Cap And Cover Slip	32

## M

Mac-Carney Bottles Complete with Aluminum Cap.	49
Measuring Cylinders, With Interchangeable Stopper Accuracy As Per, Class "A"	29
Measuring Cylinders, with interchangeable Stopper Accuracy as per, Class "B"	29
Measuring Cylinders, With Plastic Bases And Protection Collar	29
Measuring Cylinders, With Spout & Break Resistant Collar, Class "A"	29
Measuring Cylinders, with spout & break resistant collar, Class "B"	29
Mechanical Pipette with 2 stopcocks	26
Melting Point Tubes	69

**M**

Melting Point Tubes Beaker type	68
Melting Point Tubes Junge's	68
Mercury Seal Glands And Cap	44
Mercury Seal Glands And Guide	44
Millipore Type, Membrane Filter Holder Assembly,	43
Multiple Adapters With Swan Necks,	4
Multiple Adapters With Three Necks,	4
Multiple Adapters, with Two Necks	3
Murphy Drip,	63

**N**

Nessler Cylinder, for colour comparison Class "A", graduated	30
---	----

**P**

Petri Dish, Borosilicate Glass	65
Pipette Pasteur, Disposable, Neutral Hard Glass	26
Pipettes Alcohol, one mark	26
Pipettes Automatic, Quick acting for rapid work of approx. Accuracy	25
Pipettes E.S.R., Graduated	26
Pipettes for Milk Testing	26
Pipettes for Milk Testing as per Class "A"	26
Pipettes for Milk Testing, Bacteriological, Graduated	26
Pipettes Micro litre (Lambda) Accuracy as per class "A"	24
Pipettes Transfer Volumetric Accuracy as per class "A"	23
Pipettes Transfer Volumetric with one mark Light wall Accuracy as per class "B"	23
Pipettes Transfer Volumetric with one mark Medium wall Accuracy as per class "B"	23
Pipettes, Measuring, Graduated, Mohr type As per Class "A"	24
Pipettes, Measuring, Graduated, Mohr type As per Class "B"	24
Pipettes, Measuring, Graduated, Serological As per Class "A"	23
Pipettes, Measuring, Graduated, Serological As per Class "B"	24

**P**

Pipettes, Micro litre (Lambda) Accuracy as per class "B"	25
Plain Chromatography Absorption Columns, without stopcock	59
Plain Microscope slides (pack of 50)	64
Pressure Equalizing Funnel, Cylindrical With Socket, Stopcock And Stem With Cone	39
Pyknometer's	70

**R**

R.B.C Pipette, 65	
Reagent Bottles, Narrow Mouth, with Screw Cap and Teflon liner	47
Reagent Bottles, NM, with interchangeable hex.flat head hollow stopper	47
Reagent Bottles, Wide Mouth, with interchangeable hollow stopper	47
Reagent Bottles, wide Mouth, with Screw Cap and Teflon liner	48
Receiver Adapters, Bend With Socket Connection	5
Receiver Adapters, Bend with Vent	4
Receiver Adapters, Plain Bend	5
Receiver Adapters, Plain Bend Short/long	4
Recovery Heads Sloping With B14 Socket	6
Reduction Adapters,	3
Retorts with interchangeable stopper	70
Reversible type Condenser	13

<b>S</b>	
Saybolt Viscosity Flask	28
Schoinger Micro Combustion Flask	66
Screw Caps For Culture Tubes, With Liner.	31
Separating Funnel ,with Screw Type PTFE Key, Interchangeable Stopper	36
Separating Funnel With Screw Type PTFE Key, Interchangeable Stopper	36
Separating Funnel, Pear Shape With Socket, Screw Type	38
Separating Funnel, Pear Shape With Socket, Stopcock And Stem With Cone But Without Stopper	38
Separating Funnel, With Screw Type PTFE Key, Rota Flow	35
Separating Funnel, With Screw Type PTFE Key, Rota Flow Stopcock	36
Separating Funnel, With Stopcock, Interchangeable Stopper	36
Separating Funnel, With Stopcock, Interchangeable Stopper, Conical/pear Shape With Plain Stem	35
Serum Bottles, with square type standard neck	49
Simple Glands With Cap	44
Sockets Plain Shank, Single	1
Sockets, Plain Shank, Double	1
Specific Gravity Bottles	46
Specific Gravity Bottles,	46
Specific Gravity Bottles, Ground In Thermometer Range 0 To 50°C	46
Specific Gravity Bottles, Hubbard, Conical.	46
Specific Gravity Bottles, Hubbard, Cylindrical.	47
Specific Gravity Bottles, Weld with Cap	46
Spherical Joints Ball and Cup	2
Splash Head Adapter	7
Splash Heads Pear Shape Sloping	6
Splash Heads, Pear Shape Vertical	7
Stalganometer	69
Stalganometer	69
Stalganometer	70
Steam Trap	67
Still Heads, Recovery Bend Sloping (elbow)	6
Still Heads, Recovery Bend Vertical	6
Stirrers Guides	43
Stopcock "L" type lower limb bent at R angle hollow plug, High Vacuum	55
Stopcock "L" type lower Vertical hollow plug,High Vacuum	55
Stopcock "L" type Three Limb, hollow plug, High Vacuum	55
Stopcock "L" type,	55
Stopcock for Kipp's apparatus, Bent	52
Stopcock Mercury Cup, Two Limb hollow plug, High Vacuum	56
Stopcock Vertical Drip,	51
Stopcock, "T" or "V" type, hollow plug, High Vacuum	54
Stopcock, for Aspirator 4mm Bore (PTFE)	52
Stopcock, for Burette	51
Stopcock, for Burette, Straight Bore with PTFE key,	53
Stopcock, for Separating Funnels	51
Stopcock, Oblique Bore, with PTFE key	53
Stopcock, Screw type PTFE key, with Plain Limbs at Right Angle.	53
Stopcock, Screw type PTFE key, with Two Limbs at Right angle Capillary	53
Stopcock, Screw type PTFE key, with Two Limbs. Capillary	52
Stopcock, Screw type PTFE key, with Two Plain Limbs	52
Stopcock, Single Oblique Bore, with hollow plug, High Vacuum	54
Stopcock, Straight Bore	50
Stopcock, Straight Bore, with hollow plug, High Vacuum	54
Stopcock, Three way Double Oblique Bore, High Vacuum	54
Stopcock, three ways double Oblique Bore	50
Stopcock, three ways T, Bore	50
Stopcock, "C" Bore, Three way, 2m/44mm	51
Stopcock,Oblique Bore	50
Stopper Hollow	2
Stopper, Solid Penny or Flat Head	2
Stuffing Box Glands With Pulley	44

**T**

Test Tubes, Neutral Hard Glass, Heat Resistant	35
Test Tubes, Round & Flat Bottom, with rim & w/o rim, Plain	34
Test Tubes, Round Flat Bottom, with rim & W/o rim, Graduated	34
Test Tubes, with interchangeable stopper, Plain	34
Test Tubes, Graduated, with interchangeable stopper	34
Thiele's Melting Point Tubes	68
Thurmberg Tube,	64
Tube for Kahn and Wasserman test,	61
Tubes, Culture, Media ,Flat Bottom, with Screw Cap & Ruber liner.	31
Tubes, Culture, Media ,flat Bottom, With Screw Cap & Teflon Liner.	31
Tubes, Culture, Media, Round Bottom, With Screw Cap & Rubber Liner.	31
Tubes, Culture, Media, Round Bottom, With Screw Cap & Teflon Rubber Liner.	31
Tubes, Digestion	61

**U**

Ureometer Deromus	60
Ureometer Deromus	60

**V**

Viscometer	69
------------	----


**W**

W.B.C Pipette,	65
Wash Bottle with interchangeable joints	68
Wasserman Tube, Rimless	62
Weighing Bottles Squat Form, Cap. Type	45
Weighing Bottles Tall Form, Cap. Type	45
Weighing Bottles, With Interchangeable Stopper	45
Weight Thermometers	70
Widal Tube Conical Bottom,	63
Wintrobe Tubes,	61
Wintrobe Tubes,	61
Woulf Bottles with joint necks.	49






### Sockets Plain Shank, Single




Cat.No.	Socket
101.2011.01	B7/16
101.2011.02	B10/19
101.2011.03	B12/21
101.2011.04	B14/23
101.2011.05	B19/26
101.2011.06	B24/29
101.2011.07	B29/32
101.2011.08	B34/35
101.2011.09	B40/38
101.2011.10	B45/40
101.2011.11	B50/42
101.2011.12	B55/44

### Cones Plain End, Single




Cat.No.	Socket
102.2011.01	B7/16
102.2011.02	B10/19
102.2011.03	B12/21
102.2011.04	B14/23
102.2011.05	B19/26
102.2011.06	B24/29
102.2011.07	B29/32
102.2011.08	B34/35
102.2011.09	B40/38
102.2011.10	B45/40
102.2011.11	B50/42
102.2011.12	B55/44

### Sockets, Plain Shank, Double



Cat.No.	Socket Shank	length(mm)
103.2011.01	B7/16	80
103.2011.02	B10/19	80
103.2011.03	B14/23	80
103.2011.04	B19/26	80
103.2011.05	B24/29	80
103.2011.06	B29/32	90
103.2011.07	B34/35	100
103.2011.08	B40/38	110


### Cone Plain End, Double



Cat.No.	Socket Shank	length(mm)
104.2011.01	B7/16	80
104.2011.02	B10/19	80
104.2011.03	B14/23	80
104.2011.04	B19/26	80
104.2011.05	B24/29	80
104.2011.06	B29/32	90
104.2011.07	B34/35	100
104.2011.08	B40/38	110


**Spherical Joints Ball and Cup**

Cat.No.	Joint Size Approx.	Bore mm	Clip Price
105.2011.0	S13	2	1.61
105.2011.02	S13	5	1.61
105.2011.03	S19	9	1.76
105.2011.04	S29	15	1.87
105.2011.05	S35	21	2.23
105.2011.06	S41	32	4.53




**Stopper Hollow**

Cat.No.	Cone	Shape
106.2011.01	B7 or B10	Hexagonal
106.2011.02	B12 or B14	
106.2011.03	B19	
106.2011.04	B24	
106.2011.05	B29	
106.2011.06	B34	Penny Head
106.2011.07	B40	
106.2011.08	B45	
106.2011.09	B50	
106.2011.10	B55	




**Stopper, Solid Penny or Flat Head**

Cat.No.	Cone
107.2011.01	B10
107.2011.02	B14
107.2011.03	B19
107.2011.04	B24
107.2011.05	B29
107.2011.06	B34




**Cap Fitted, with Hooks**

Cat.No.	Socket
108.2011.01	B10
108.2011.02	B14
108.2011.03	B19
108.2011.04	B24
108.2011.05	B34






**Reduction Adapters,**




Cat.No.	Socket	Cone
109.2011.01	B14	B19
109.2011.02	B14	B24
109.2011.03	B14	B29
109.2011.04	B19	B24
109.2011.05	B19	B29
109.2011.06	B19	B34
109.2011.07	B19	B40
109.2011.08	B19	B45
109.2011.09	B19	B55
109.2011.10	B24	B29
109.2011.11	B24	B34
109.2011.12	B24	B40
109.2011.13	B24	B45
109.2011.14	B24	B50
109.2011.15	B24	B55
109.2011.16	B29	B34
109.2011.17	B29	B40
109.2011.18	B34	B40
109.2011.19	B34	B50
109.2011.20	B34	B55

**Multiple Adapters, with Two Necks**



Cat.No.	Socket	Cone
110.2011.01	B14	B14
110.2011.02	B19	B19
110.2011.03	B19	B24
110.2011.04	B24	B24
110.2011.05	B19	B34
110.2011.06	B29	B29


**Expansion Adapters**



Cat.No.	Socket	Cone
111.2011.01	B19	B14
111.2011.02	B24	B14
111.2011.03	B24	B19
111.2011.04	B29	B19
111.2011.05	B29	B24
111.2011.06	B34	B19
111.2011.07	B34	B24
111.2011.08	B34	B29
111.2011.09	B40	B24


**Multiple Adapters With Three Necks,**

Cat.No.	Socket	Cone
112.2011.01	B19	B24
112.2011.02	B19	B29
112.2011.03	B19	B34
112.2011.04	B19	B45
112.2011.05	B19	B55




**Multiple Adapters With Swan Necks,**

Cat.No.	Socket	Cone
113.2011.01	B19	B19
113.2011.01	B19	B24
113.2011.01	B24	B24
113.2011.01	B24	B34




**Receiver Adapters, Plain Bend Short/long**

Cat.No.	Socket
114.2011.01	B14
114.2011.02	B19
114.2011.03	B24
114.2011.04	B29
114.2011.05	B34
114.2011.06	B40
114.2011.07	B45
114.2011.08	B50
114.2011.09	B55



**Receiver Adapters, Bend with Vent**


Cat.No.	Socket	Cone
115.2011.01	B14	B14
115.2011.01	B19	B19
115.2011.01	B19	B24
115.2011.01	B24	B24
115.2011.01	B34	B34






**Still Heads, Recovery Bend Sloping (elbow)**

Cat.No.	Cone fitting flask	Cone fitting flask
118.2011.01	B14	B14
118.2011.02	B24	B14
118.2011.03	B19	B19
118.2011.04	B24	B19
118.2011.05	B29	B19
118.2011.06	B34	B19
118.2011.07	B24	B24
118.2011.08	B34	B24
118.2011.09	B55	B24
118.2011.10	B34	B34




**Still Heads, Recovery Bend Vertical**

Cat.No.	Cone fitting flask	Cone fitting flask
119.2011.01	B14	B14
119.2011.02	B19	B19
119.2011.03	B24	B14
119.2011.04	B24	B24
119.2011.05	B34	B34




**Recovery Heads Sloping With B14 Socket**

Cat.No.	Cone fitting flask	Cone fitting flask
120.2011.01	B14	B14
120.2011.02	B24	B19
120.2011.03	B29	B19
120.2011.04	B34	B19
120.2011.05	B24	B24
120.2011.06	B34	B24
120.2011.07	B55	B24
120.2011.08	B34	B34
120.2011.09	B55	B34




**Splash Heads Pear Shape Sloping**

Cat.No.	Cone fitting flask	Cone fitting flask
121.2011.01	B19	B19
121.2011.02	B24	B19
121.2011.03	B34	B19
121.2011.04	B34	B24
121.2011.05	B34	B34
121.2011.06	B24	B24






### Splash Heads, Pear Shape Vertical




Cat.No.	Cone fitting flask	Cone fitting flask
122.2011.01	B19	B19
122.2011.02	B24	B19
122.2011.03	B34	B19
122.2011.04	B24	B24
122.2011.05	B34	B24

### Splash Head Adapter



Cat.No.	Cone fitting flask	Cone fitting flask
123.2011.01	B24	B19
123.2011.02	B24	B19
123.2011.03	B34	B19
123.2011.05	B34	B24
123.2011.07	B34	B34
123.2011.09	B24	B24

### Flasks Flat Or Round Bottom Short Or Medium Neck With Socket




Cat.No.	Cap ml	Socket
126.2011.01	5	B10 or B14
126.2011.02	10	B10 or B14
126.2011.03	25	B14 or B19
126.2011.04	25	B24
126.2011.05	50	B14 or B19
126.2011.06	50	B24
126.2011.07	50	B34
126.2011.08	100	B14 or B19
126.2011.09	100	B24
126.2011.10	100	B34
126.2011.11	150	B19
126.2011.12	150	B24
126.2011.13	150	B29 or B34
126.2011.14	250	B19
126.2011.15	250	B24
126.2011.16	250	B29 or B34
126.2011.17	500	B19
126.2011.18	500	B24
126.2011.19	500	B29 or B34
126.2011.20	1000	B24
126.2011.21	1000	B29
126.2011.22	1000	B34
126.2011.23	2000	B24
126.2011.24	2000	B34
126.2011.25	3000	B24
126.2011.26	3000	B34
126.2011.27	5000	B24 B34 B40
126.2011.28	5000	B45 or B50
126.2011.29	10000	B34 or B40
126.2011.30	10000	B45 B50 B55
126.2011.31	20000	B40 B50 B55

**Note:** For long neck flasks 10% will be charged extra and also do mention flat or round Bottom, short or medium neck size of the socket while placing order

## Flasks Round Bottom, Two neck at angle or parallel


Cat.No.	Cap ml	Center Neck	Side Neck
127.2011.01	100	24/29	14/23
127.2011.02	250	24/29	14/23
127.2011.03	250	24/29	19/26
127.2011.04	500	24/29	14/23
127.2011.05	500	24/29	19/26
127.2011.06	1000	34/35	14/23
127.2011.07	1000	34/35	19/26
127.2011.08	1000	24/29	14/23
127.2011.09	1000	24/29	19/26
127.2011.010	2000	34/35	19/26



*Note : Please do mention for parallel or angle necks, the size of sockets required while placing order*

## Flasks Round Bottom (three, Side Neck Set At Angle Or Parallel)


Cat.No.	Cap ml	Center Neck	Side Neck
128.2011.01	100	B24	B14
128.2011.02	250	B24	B14 or B19
128.2011.03	500	B24	B14 or B19
128.2011.04	1000	B24	B14 or B19
128.2011.05	1000	B34	B19
128.2011.06	2000	B24	B19
128.2011.07	2000	B34	B19
128.2011.08	2000	B34	B24
128.2011.09	3000	B34	B19 B24
128.2011.10	5000	B34 B40 B50 B55	B19 B24
128.2011.11	10000	B34 B40 B50 B55	B19 B24



*Note: Please do mention for parallel or angle necks, the size of sockets required while placing order*

## Conical Flask Short Or Medium Neck With Socket

Cat.No.	Cap ml	Socket	Price (Rs.)Per pc.
129.2011.01	25	B14	66
129.2011.02	50	B14	82
129.2011.03	50	B19	82
129.2011.04	100	B19	100
129.2011.05	100	B24	100
129.2011.06	150	B19	118
129.2011.07	150	B24	118
129.2011.08	250	B19	130
129.2011.09	250	B24	120
129.2011.10	250	B29 or B34	145
129.2011.11	500	B19	175
129.2011.12	500	B24	165
129.2011.13	500	B29 or B34	190
129.2011.14	1000	B24	340
129.2011.15	1000	B29 or B34	345
129.2011.16	2000	B24 or B34	665




**Note: Please do mention the size of the socket, while placing order**






STILL HEADS/SPLASH HEADS

### Flask Buckner Filtration




Cat.No.	Cap ml	Socket
130.2011.01	100	B19
130.2011.02	250	B24
130.2011.03	500	B24
130.2011.04	1000	B24
130.2011.05	1000	B34

### Flask Kjeldhal




Cat.No.	Cap ml	Socket
131.2011.01	50	B19
131.2011.02	100	B19
131.2011.03	100	B24
131.2011.04	300	B24
131.2011.05	500	B24
131.2011.06	800	B24
131.2011.07	800	B29

### Flask Pear Shaped Single Neck



Cat.No.	Cap ml	Socket
132.2011.01	5	B10
132.2011.02	10	B10/B14
132.2011.03	25	B10/B14
132.2011.04	50	B10/B14
132.2011.05	100	B14


### Flask Pear Shaped Two Neck, Side Neck At Angle



Cat.No.	Cap ml	Center Neck	Side Neck
133.2011.01	25	B14	B14
133.2011.02	50	B14	B14
133.2011.03	100	B14	B14


**Flask Pear Shaped (three, Side Neck Set At Angle Or Parallel)**

Cat.No.	Cap ml	Center Neck	Side Neck
134.2011.01	25	B14	B14
134.2011.02	50	B14	B14
134.2011.03	100	B14	B14



**Flask Distillation With Side Tube**


Cat.No.	Cap ml
135.2011.01	25
135.2011.02	50
135.2011.03	100
135.2011.04	250
135.2011.05	500
135.2011.06	1000
135.2011.07	2000



**Note:** In cat.No.135 flasks above 500ml will be of short neck


**Flask Buckner Filtration Bolt Neck**


Cat.No.	Cap ml
136.2011.01	100
136.2011.02	250
136.2011.03	500
136.2011.04	1000
136.2011.05	2000



**Flask Conical With Teflon Liner Screw Cap**


Cat.No.	Cap ml
137.2011.01	25
137.2011.02	50
137.2011.03	100
137.2011.04	150
137.2011.05	250
137.2011.06	500
137.2011.07	1000
137.2011.08	2000






STILL HEADS/SPLASH HEADS

**Iodine Flask With Interchangeable Stopper**




Cat.No.	Cap ml
138.2011.01	100
138.2011.02	250
138.2011.03	500
138.2011.04	1000

**Flask Erlenmeyer's Conical Graduated**




Cat.No.	Cap ml
139.2011.05	25
139.2011.05	50
139.2011.01	100
139.2011.02	150
139.2011.03	250
139.2011.04	500
139.2011.05	1000

**Flask Kjeldhal Round Bottom, Long Neck**



Cat.No.	Cap ml
140.2011.01	10
140.2011.02	30
140.2011.03	50
140.2011.04	100
140.2011.05	300
140.2011.06	500


**Flask Erlenmeyer Conical Wide Mouth**



Cat.No.	Cap.ml	O.D.xHt. mm	O.D.xHt. mm
141.2011.01	100	70x110	34
141.2011.02	250	74x134	36
141.2011.03	500	97x170	47
141.2011.03	1000	120x220	56


**Air Condenser**

Cat. No.	Socket	Cone	Effective length (mm)
142.2011.01	B14	B14	200
142.2011.02	B19	B19	200
142.2011.03	B24	B24	250
142.2011.04	B19	B19	400
142.2011.05	B24	B24	500
142.2011.06	B34	B34	500
142.2011.07	B19	B19	600
142.2011.08	B24	B24	750
142.2011.09	-	B19	750
142.2011.10	-	B24	750
142.2011.11	-	B19	1000
142.2011.12	-	B24	1000




**Leibig Condenser**

Cat. No.	Socket	Cone	Effective length (mm)
143.2011.01	B14	B14	150
143.2011.02	B19	B19	200
143.2011.03	B24	B24	200
143.2011.04	B19	B19	300
143.2011.05	B24	B24	300
143.2011.06	B19	B19	350
143.2011.07	B24	B24	350
143.2011.08	B19	B19	400
143.2011.09	B24	B24	400
143.2011.10	B24	B24	500
143.2011.11	B24	B24	600
143.2011.12	B24	B24	750
143.2011.13	B34	B34	500
143.2011.14	B34	B34	600
143.2011.15	B34	B34	750
143.2011.16	B34	B34	900
143.2011.17	-	B19	300
143.2011.18	-	B24	350
143.2011.19	-	B34	250




**Coil Condenser Graham, Coiled Distillate Type.**

Cat. No.	Socket	Cone	Effective length (mm)
144.2011.01	B14	B14	150
144.2011.02	B19	B19	200
144.2011.03	B19	B19	250
144.2011.04	B24	B24	250
144.2011.05	B19	B19	300
144.2011.06	B24	B24	300
144.2011.07	B24	B24	400
144.2011.08	B24	B24	500
144.2011.09	B34	B34	500
144.2011.10	B34	B34	600






### Reversible type Condenser




Cat. No.	Socket	Cone	Effective length (mm)
145.2011.01	-	B19 & B24	150
145.2011.02	-	B24 & B24	150
145.2011.03	-	B24 & B34	150

### Coil Condenser Graham, jacket Distillate type.




Cat. No.	Socket	Cone	Effective length (mm)
146.2011.01	B14	B14	150
146.2011.02	B19	B19	200
146.2011.03	B19	B19	250
146.2011.04	B24	B24	250
146.2011.05	B19	B19	300
146.2011.06	B24	B24	300
146.2011.07	B24	B24	400
146.2011.08	B24	B24	500
146.2011.09	B34	B34	500
146.2011.10	B34	B34	600

### Double Coil Condenser with common inlet.



Cat. No.	Socket	Cone	Effective length (mm)
147.2011.01	B19	B19	200
147.2011.02	B24	B24	200
147.2011.03	B34	B34	350
147.2011.04	B34	B34	450
147.2011.05	B34	B34	600


### Davies Condenser (Double Surface)




Cat. No.	Socket	Cone	Effective length (mm)
148.2011.01	B19	B19	150
148.2011.02	B24	B24	150
148.2011.03	B19	B19	200
148.2011.04	B24	B24	200
148.2011.05	B29	B29	200
148.2011.06	-	B19	200
148.2011.07	-	B24	200
148.2011.08	-	B34	200
148.2011.09	-	B19	250
148.2011.10	B19	B19	250
148.2011.11	B24	B24	250
148.2011.12	B19	B19	300
148.2011.13	B24	B24	300
148.2011.14	B24	B24	400
148.2011.15	B24	B24	500
148.2011.16	B34	B34	500
148.2011.17	B34	B34	600

**Jacketed Coil Condenser**


Cat. No.	Socket	Cone	Effective length (mm)
149.2011.01	B19	B19	150
149.2011.02	B24	B24	150
149.2011.03	-	B34	150
149.2011.04	-	B40	150
149.2011.05	B19	B19	200
149.2011.06	B24	B24	200
149.2011.07	B19	B19	300
149.2011.08	B24	B24	300
149.2011.09	B24	B24	400
149.2011.10	B34	B34	400
149.2011.11	B34	B34	500


**Inland Revenue Condenser**


Cat. No.	Socket	Cone	Effective length (mm)
150.2011.01	B19	B19	200
150.2011.02	B24	B24	200


**Allihn Condenser (Bulb Condenser)**

Cat. No.	Socket	Cone	Effective length (mm)
151.2011.01	-	B19	200
151.2011.02	-	B24	200
151.2011.03	-	B29	200
151.2011.04	-	B34	200
151.2011.05	-	B40	200
151.2011.06	-	B50	200
151.2011.07	-	B50	250
151.2011.08	B19	B19	200
151.2011.09	B24	B24	200
151.2011.10	B19	B19	300
151.2011.11	B24	B24	300
151.2011.12	B24	B24	400
151.2011.13	B24	B24	500
151.2011.14	B34	B34	500
151.2011.15	B34	B34	600
151.2011.16	B34	B34	750


**Friedrich Condenser**


Cat. No.	Socket	Cone	Effective length (mm)
152.2011.01	B19	B19	100
152.2011.02	B19 or B24	B19 or B24	200
152.2011.03	B19 or B24	B19 or B24	250






CONDENSERS WITHOUT JOINTS

### Lei big Condenser




Cat. No.	Effective length (mm)
153.2011.01	200
153.2011.02	300
153.2011.03	400
153.2011.04	500
153.2011.05	600

### Allihn Condenser (Bulb Condenser)




Cat. No.	Effective length (mm)
154.2011.01	200
154.2011.02	300
154.2011.03	400
154.2011.04	500
154.2011.05	600

### Coil Condenser (Graham Condenser).



Cat. No.	Effective length (mm)
155.2011.01	200
155.2011.02	300
155.2011.03	400
155.2011.04	500
155.2011.05	600

### Air Condenser.




Cat. No.	Effective length (mm)
156.2011.01	400
156.2011.02	600
156.2011.03	750
156.2011.04	1000

**Condensers Bulb shape,**  
**suitable for**  
**1000ml, spout less**  
**Cat. No.**  
**Tall Form, Beaker**


**Burettes with Pinch Cock Rubber Tubing and Glass Jet Accuracy as per "B"**

Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
160.2011.01	**10	0.05	0.05
160.2011.02	25	0.10	0.10
160.2011.03	50	0.10	0.10
160.2011.04	100	0.2	0.2




**Burettes with Straight Bore Glass Key Stopcock Accuracy as per "A"**

Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
161.2010.01	**1	0.01	0.006
161.2011.02	**2	0.02	0.010
161.2011.03	5	0.02	0.010
161.2011.04	**10	0.05	0.020
161.2011.05	25	0.10	0.050
161.2011.06	50	0.10	0.050
161.2011.07	100	0.20	0.100




**Burettes with Straight Bore Glass Key Stopcock Accuracy as per "B"**

Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
162.2011.01	**1	0.01	0.01
162.2011.02	**2	0.02	0.02
162.2011.03	**5	0.02	0.02
162.2011.04	**10	0.05	0.05
162.2011.05	25	0.10	0.10
162.2011.06	50	0.10	0.10
162.2011.07	100	0.20	0.20



**Burettes with Screw Type Rota flow Stopcock with PTFE key Accuracy as per class "A"**


Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
163.2011.01	**1	0.01	0.006
163.2011.02	**2	0.02	0.010
163.2011.03	**5	0.02	0.010
163.2011.04	**10	0.05	0.020
163.2011.05	25	0.10	0.050
163.2011.06	50	0.10	0.050
163.2011.07	100	0.20	0.100








### Burettes with Screw Type Rota flow Stopcock with PTFE key Accuracy as per class "B"



Cat. No.	Cap ml	Sub.Div ml	Tolerance + ml
164.2011.01	**1	0.01	0.01
164.2011.02	**2	0.02	0.02
164.2011.03	**5	0.02	0.02
164.2011.04	**10	0.05	0.05
164.2011.05	25	0.10	0.10
164.2011.06	50	0.10	0.10
164.2011.07	100	0.20	0.20

### Burettes with Straight Bore PTFE Key Accuracy as per class "A"




Cat. No.	Cap ml	Sub.Div ml	Tolerance + ml
165.2011.01	**1	0.01	0.006
165.2011.02	**2	0.02	0.010
165.2011.03	**5	0.02	0.010
165.2011.04	**10	0.05	0.020
165.2011.05	25	0.10	0.050
165.2011.06	50	0.10	0.050
165.2011.07	100	0.20	0.100

### Burettes with Straight Bore PTFE Key Accuracy as per class "B"

166.2011.01	**1	0.01	0.01
166.2011.02	**2	0.02	0.02
166.2011.03	**5	0.02	0.02
166.2011.04	**10	0.05	0.05
166.2011.05	25	0.10	0.10
166.2011.06	50	0.10	0.10
166.2011.07	100	0.20	0.20


### Burettes With Straight Bore Glass Key Stopcock Accuracy As Per Class "b", Routine Quality (light Wall)



Cat. No.	Cap ml	Sub.Div ml	Tolerance + ml
167.2011.01	25	0.10	0.10
167.2011.02	50	0.10	0.10
167.2011.03	100	0.20	0.20


**Burettes With Screw Type Rota Flow Stopcock With PTFE Key Accuracy As Per Class "B", Routine Quality (light Wall)**

Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
168.2011.01	25	0.10	0.10
168.2011.02	50	0.10	0.10
168.2011.03	100	0.20	0.20




**Burettes, Double Oblique Bore Stopcock,3-way Accuracy as per class "A"**

Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
169.2011.01	10	0.05	0.02
169.2011.02	25	0.10	0.05
169.2011.03	50	0.10	0.05
169.2011.04	100	0.20	0.10




**Burettes, Double Oblique Bore Stopcock,3-way Accuracy as per class "B"**

Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
170.2011.01	10	0.10	0.05
170.2011.02	25	0.10	0.10
170.2011.03	50	0.20	0.10
170.2011.04	100	0.05	0.20




**Burettes, Double Bore Screw type Rota flow Stopcock with PTFE keys Accuracy as per class "A"**

Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
171.2011.01	10	0.05	0.02
171.2011.02	25	0.10	0.05
171.2011.03	50	0.10	0.05
171.2011.04	100	0.20	0.10




### Burettes, Double Bore Screw Type Rota Flow Stopcock With Ptfе Keysaccuracy As Per Class “B”




Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
172.2011.01	10	0.05	0.05
172.2011.02	25	0.10	0.10
172.2011.03	50	0.10	0.10
172.2011.04	100	0.20	0.20

### Burettes, Double Oblique Bore PTFE Keys Stopcock 3-ways Accuracy As Per Class “A”




Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
173.2011.01	10	0.05	0.02
173.2011.02	25	0.10	0.05
173.2011.03	50	0.10	0.05
173.2011.04	100	0.20	0.10

### Burettes, Overflow Cup, Automatic Zero, Double Oblique Bore Stopcock 3-ways Accuracy As Per Class “A”



Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
174.2011.01	10	0.05	0.02
174.2011.02	25	0.10	0.05
174.2011.03	50	0.10	0.05
174.2011.04	100	0.20	0.10


### Burettes, Overflow Cup, Automatic Zero, Double Oblique Bore Stopcock 3-ways Accuracy As Per Class “B”



Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
175.2011.01	10	0.05	0.05
175.2011.02	25	0.10	0.10
175.2011.03	50	0.10	0.10
175.2011.04	100	0.20	0.20


**Burettes, Overflow Cup, Automatic Zero, Double Bore Screw Type Rota Flow Stopcock With PTFE Keys, 3-way Accuracy As Per Class "A"**

Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
176.2011.01	10	0.05	0.02
176.2011.02	25	0.10	0.05
176.2011.03	50	0.10	0.05
176.2011.04	100	0.20	0.10




**Burettes, Overflow Cup, Automatic Zero, Double Bore Screw type Rota flow Stopcock with PTFE keys, 3-way Accuracy as per class "B"**

Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
177.2011.01	10	0.05	0.05
177.2011.02	25	0.10	0.10
177.2011.03	50	0.10	0.10
177.2011.04	100	0.20	0.20




**Burettes, Overflow Cup, Automatic Zero, Double Oblique Bore PTFE Key Stopcock 3-way Accuracy as per class "A"**

Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
178.2011.01	10	0.05	0.02
178.2011.02	25	0.10	0.05
178.2011.03	50	0.10	0.05
178.2011.04	100	0.20	0.10




**Burettes, Micro, Automatic, Filling Device With Reservoir, Accuracy As Per Class "A"**

Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
179.2011.01	1	0.01	0.006
179.2011.02	2	0.02	0.010
179.2011.03	5	0.02	0.010
179.2011.04	10	0.05	0.020






**Burettes, Micro, Automatic, Filling Device With Reserboir Accuracy As Per Class "A"**




Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
180.2011.01	1	0.01	0.01
180.2011.02	2	0.02	0.02
180.2011.03	5	0.02	0.02
180.2011.04	10	0.05	0.05

**Burettes, Automatic Zero, mounted on Reservoir, with Rubber bellow Accuracy as per class "A"**



Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
181.2011.01	10	0.05	0.02
182.2011.02	25	0.10	0.05
182.2011.03	50	0.10	0.05
181.2011.04	100	0.20	0.10

**Burettes, Automatic Zero, mounted on Reservoir, with Rubber bellow Accuracy as per class "B"**



Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
182.2011.01	10	0.05	0.05
182.2011.02	25	0.10	0.10
182.2011.03	50	0.10	0.10
182.2011.04	100	0.20	0.20

**Burettes, Automatic Zero, Mounted On Reservoir, With Screw Type Rotaflow Stopcock With Ptfе Key, Rubber Below Accuracy As Per Class "A"**


Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
183.2011.01	10	0.05	0.02
183.2011.02	25	0.10	0.05
183.2011.03	50	0.10	0.05
183.2011.04	100	0.20	0.10

**Burettes, Automatic Zero, Mounted On Reservoir, With Screw Type Rota Flow Stopcock  
With Ptfе Key, Rubber Below Accuracy As Per Class "B"**


Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
184.2011.01	10	0.05	0.05
184.2011.02	25	0.10	0.10
184.2011.03	50	0.10	0.10
184.2011.04	100	0.20	0.20

**Burettes, Automatic Zero, mounted on Reservoir, with PTFE key, Stopcock  
Rubber below Accuracy as per class "A"**


Cat. No.	Cap ml	Sub.Div. ml	Tolerance + ml
185.2011.01	10	0.05	0.02
185.2011.02	25	0.10	0.05
185.2011.03	50	0.10	0.05
185.2011.04	100	0.20	0.10



BURETTES



**Pipettes Transfer Volumetric Accuracy as per class "A"**



Cat. No.	Cap ml	Tolerance + ml
200.2011.01	1	0.006
200.2011.02	2	0.010
200.2011.03	5	0.015
200.2011.04	10	0.020
200.2011.05	20	0.030
200.2011.06	25	0.030
200.2011.07	50	0.050
200.2011.08	100	0.080

**Pipettes Transfer Volumetric with one mark Medium wall Accuracy as per class "B"**


201.2011.01	1	0.015
201.2011.02	2	0.020
201.2011.03	5	0.030
201.2011.04	10	0.040
201.2011.05	20	0.060
201.2011.06	25	0.060
201.2011.07	50	0.100
201.2011.08	100	1.160

**Pipettes Transfer Volumetric with one mark Light wall Accuracy as per class "B"**

202.2011.01	1	0.015
202.2011.02	2	0.020
202.2011.03	5	0.030
202.2011.04	10	0.040
202.2011.05	20	0.060
202.2011.06	25	0.060
202.2011.07	50	0.100
202.2011.08	100	1.160

**Pipettes, Measuring, Graduated, Serological As per Class "A"**

\*(These Pipettes are graduated to tip and calibrated to deliver their total cap. When the last drop is blown out.



Cat. No	Cap ml	Sub.Div. ml	Tolerance + ml
203.2011.01	0.1	0.01	0.006
203.2011.02	0.2	0.01	0.006
203.2011.03	0.5	0.02	0.006
203.2011.04	1.0	0.01	0.006
203.2011.05	1.0	0.10	0.006
203.2011.06	2.0	0.02	0.010
203.2011.07	2.0	0.10	0.010
203.2011.08	5.0	0.05	0.030
203.2011.09	5.0	0.10	0.050
203.2011.10	10.0	0.10	0.050
203.2011.11	25.0	0.20	0.100

**Pipettes, Measuring, Graduated, Serological As per Class “B”**

”(These Pipettes are graduated to tip and calibrated to deliver their total cap. When the last drop is blown out.

Cat. No	Cap ml	Sub.Div. ml	Tolerance + ml
204.2011.01	0.1	0.01	0.01
204.2011.02	0.2	0.01	0.01
204.2011.03	0.5	0.02	0.01
204.2011.04	1.0	0.01	0.01
204.2011.05	1.0	0.10	0.01
204.2011.06	2.0	0.02	0.02
204.2011.07	2.0	0.10	0.02
204.2011.08	5.0	0.05	0.05
204.2011.09	5.0	0.10	0.10
204.2011.10	10.0	0.10	0.10
204.2011.11	25.0	0.20	0.20

**Pipettes, Measuring, Graduated, Mohr type As per Class “A”**

”(These Pipettes are graduated for the delivery from 0 mark to the graduation mark (colour coded)

Cat. No	Cap ml	Sub.Div. ml	Tolerance + ml
205.2011.01	0.1	0.01	0.006
205.2011.02	0.2	0.01	0.006
205.2011.03	0.5	0.02	0.006
205.2011.04	1.0	0.01	0.006
205.2011.05	1.0	0.10	0.006
205.2011.06	2.0	0.02	0.010
205.2011.07	2.0	0.10	0.010
205.2011.08	5.0	0.05	0.030
205.2011.09	5.0	0.10	0.030
205.2011.10	10.0	0.10	0.050
205.2011.11	25.0	0.20	0.100



**Pipettes, Measuring, Graduated, Mohr type As per Class “B”**

(These Pipettes Are graduated for the delivery from 0 mark to the graduation mark (color coded)

206.2011.01	0.1	0.01	0.01
206.2011.02	0.2	0.01	0.01
206.2011.03	0.5	0.02	0.01
206.2011.04	1.0	0.01	0.01
206.2011.05	1.0	0.10	0.01
206.2011.06	2.0	0.02	0.02
206.2011.07	2.0	0.10	0.02
206.2011.08	5.0	0.05	0.05
206.2011.09	5.0	0.10	0.10
206.2011.10	10.0	0.10	0.10
206.2011.11	25.0	0.20	0.20

**Pipettes Micro litre (Lambda) Accuracy as per class “A”**


Cat. No	Cap ml	Tolerance + ml %
207.2011.01	1	1.5
207.2011.02	2	0.5
207.2011.03	5	0.5
207.2011.04	10	0.5
207.2011.05	25	0.5
207.2011.06	50	0.3
207.2011.07	100	0.3
207.2011.08	200	0.2
207.2011.09	500	0.2








**Pipettes, Micro litre (Lambda) Accuracy as per class "B"**



Cat. No	Cap ml	Tolerance + ml %
208.2011.01	1	3.0
208.2011.02	2	1.0
208.2011.03	5	1.0
208.2011.04	10	1.0
208.2011.05	25	1.0
208.2011.06	50	0.6
208.2011.07	100	0.6
208.2011.08	200	0.4
208.2011.09	500	0.4

**Automatic Pipettes, with Overflow Cup, Accuracy as per class "A"**




Cat. No	Cap ml	Tolerance + ml %
209.2011.01	5	0.06
209.2011.02	10	0.08
209.2011.03	20	0.10
209.2011.04	25	0.12
209.2011.05	50	0.15
209.2011.06	100	0.25

**Automatic Pipettes, with Overflow Cup, Accuracy as per class "B"**

Cat. No	Cap ml
210.2011.01	5
210.2011.02	10
210.2011.03	20
210.2011.04	25
210.2011.05	50
210.2011.06	100


**Pipettes Automatic, Quick acting for rapid work of approx. Accuracy**



Cat. No	Cap ml	Reservoir Cap.ml
<b>(Tilt Measure) complete with Conical Flask &amp; interchangeable joint</b>		
211.2011.01	1	100
211.2011.02	2	100
211.2011.03	5	250
211.2011.04	10	250
211.2011.05	20	500
211.2011.06	25	500

**Pipettes for Milk Testing**

Cat.No.	Cap ml
212.2011.01	110.75




**Pipettes for Milk Testing as per Class "A"**

213.2011.0	1 10.
------------	-------

**Pipettes for Milk Testing, Bacteriological, Graduated**

Cat. No.	Cap ml	Marked at.(ml)	Tolerance + ml
214.2011.01	1.1	0.5, 1 & 1.1	0.025
214.2011.02	2.21.0,	2.0, 2.1, & 2.2	0.040



**Pipettes Alcohol, one mark**

Cat. No.	Cap ml
215.2011.01	1

**Pipettes E.S.R., Graduated**

216.20.11.01	200
216.2011.02	300

**Automatic Acid Measure**

217.2011.01	1
-------------	---

**Automatic Acid Measure**


218.2011.01	1
-------------	---


**Mechanical Pipette with 2 stopcocks**

219.2011.01	10
219.2011.02	20
219.2011.03	25

**Pipette Pasteur, Disposable, Neutral Hard Glass**

Cat No.	Length
220.2011.01	145mm
220.2011.02	230mm





**Flask Volumetric (measuring), With Interchangeable Stopper, Accuracy As Per Class "A"**

Cat. No	Cap ml	Tolerance + ml	Stopper size	Pack Size
251.2011.01	*1	0.010	10/15	2
251.2011.02	*2	0.015	10/15	2
251.2011.03	5	0.025	10/15	2
251.2011.04	10	0.025	10/15	2
251.2011.05	25	0.040	10/15	2
251.2011.06	50	0.060	10/15	2
251.2011.07	100	0.100	14/15	2
251.2011.08	200	0.150	14/15	2
251.2011.09	250	0.150	14/15	2
251.2011.10	500	0.250	19/20	2
251.2011.11	1000	0.400	19/20	2
251.2011.12	2000	0.600	24/25	2

**\*1ml, and 2ml Volumetric Flasks are of Test Tube Shape Note : Above Volumetric**


**Flask Volumetric (measuring), With Interchangeable Stopper Accuracy As Per Class "B"**

252.2011.01	*1	0.02	10/15	2
252.2011.02	*2	0.03	10/15	2
252.2011.03	5	0.05	10/15	2
252.2011.04	10	0.05	10/15	2
252.2011.05	25	0.08	10/15	2
252.2011.06	50	0.12	10/15	2
252.2011.07	100	0.20	14/15	2
252.2011.08	200	0.30	14/15	2
252.2011.09	250	0.30	14/15	2
252.2011.10	500	0.50	19/20	2
252.2011.11	1000	0.80	19/20	2

**\*1ml, and 2ml Volumetric Flasks are of Test Tube Shape**

**Note: Above Volumetric Flasks can also be supplied with Plastic Stoppers on request**

**Flask Volumetric (measuring) ,with Screw Cap, Accuracy As Per Class "A"**




Cat. No	Cap ml	Tolerance + ml	Screw Cap size	Pack Size
253.2011.03	5	0.025	13	2
253.2011.04	10	0.025	13	2
253.2011.05	25	0.040	18	2
253.2011.06	50	0.060	18	2
253.2011.07	100	0.100	18	2
253.2011.08	200	0.150	18	2
253.2011.09	250	0.150	18	2
253.2011.10	500	0.250	24	2
253.2011.11	1000	0.400	24	2

**\*1ml, and 2ml Volumetric Flasks are of Test Tube Shape**

**Flask Volumetric Sugar Estimation With Two Marks Without Stopper, Accuracy As Per Class "A"**

Cat. No		Cap ml	Pack Size
255.2011.01	Lines marked at	50ml, & 55ml	2
255.2011.02	Lines marked at	100ml, & 110ml	2
255.2011.03	Lines marked at	200ml, & 220ml,	2




**Flask Volumetric Sugar Estimation With Two Marks Without stopper, Accuracy As Per Class "B"**

256.2011.01	Lines marked at	50ml, & 55ml	2
256.2011.02	Lines marked at	100ml, & 110ml	2
256.2011.03	Lines marked at	200ml, & 220ml,	2


**Kohlrash Flasks (mud Flask) With Cup At Top Accuracy As Per Class "A"**

Cat. No	Cap ml	Pack Size
257.2011.01	50	2
257.2011.02	100	2
257.2011.03	200	2



**Kohlrash Flasks (mud Flask) With Cup At Top Accuracy As Per Class "A"**

258.2011.01	50	2
258.2011.02	100	2
258.2011.03	200	2




**Saybolt Viscosity Flask**

Cat. No	Cap ml	Height Size
259.2011.01	60	85mm

**Cassia Flask, With Graduated Long Neck**

Cat. No	Cap ml
260.2011.01	100




**Lechatelier Flask, For Sp.gr. Test Bulb Cap. Approx.**

250ml neck graduation from 0 to 1ml & 18 to 24ml.in 0.1ml

261.2011.01	Do Class A
261.2011.01	


### Measuring Cylinders, With Plastic Bases And Protection Collar

Cat. No	Cap ml	Sub. Div.ml	Tolerance + ml	Pack Size
280.2011.01	5	0.1	0.1	2
280.2011.02	10	0.2	0.2	2
280.2011.03	25	0.5	0.5	2
280.2011.04	50	1.0	1.0	2
280.2011.05	100	1.0	1.0	2
280.2011.06	250	2.0	2.0	2
280.2011.07	500	5.0	5.0	1
280.2011.08	1000	10.0	10.0	1
280.2011.08	2000	20.0	10.0	1



### Measuring Cylinders, With Spout & Break Resistant Collar, Class "A"

Cat. No	Cap ml	Sub. Div.ml	Tolerance + ml	Pack Size
281.2011.01	5	0.1	0.05	2
281.2011.02	10	0.2	0.10	2
281.2011.03	25	0.5	0.25	2
281.2011.04	50	1.0	0.50	2
281.2011.05	100	1.0	0.50	2
281.2011.06	250	2.0	1.00	2
281.2011.07	500	5.0	2.50	1
281.2011.08	1000	10.0	5.00	1
280.2011.08	2000	20.0	10.0	1




### Measuring Cylinders, with spout & break resistant collar, Class "B"

282.2011.01	5	0.1	0.1	2	0.84
282.2011.02	10	0.2	0.2	2	0.84
282.2011.03	25	0.5	0.5	2	1.3
282.2011.04	50	1.0	1.0	2	1.65
282.2011.05	100	1.0	1.0	2	2.00
282.2011.06	250	2.0	2.0	2	3.65
282.2011.07	500	5.0	5.0	1	10.75
282.2011.08	1000	10.0	10.0	1	14.35
280.2011.08	2000	20.0	20.0	1	1560

### Measuring Cylinders, With Interchangeable Stopper Accuracy As Per, Class "A"


Cat. No	Cap ml	Sub. Div.ml	Tolerance + ml	Pack Size
283.2011.01	5	0.1	0.05	2
283.2011.02	10	0.2	0.10	2
283.2011.03	25	0.5	0.25	2
283.2011.04	50	1.0	0.50	2
283.2011.05	100	1.0	0.50	2
283.2011.06	250	2.0	1.00	2
283.2011.07	500	5.0	2.50	1
283.2011.08	1000	10.0	5.00	1
283.2011.09	2000	20	20	1



### Measuring Cylinders, with interchangeable Stopper Accuracy as per, Class "B"


284.2011.01	5	0.1	0.1	2
284.2011.02	10	0.2	0.2	2
284.2011.03	25	0.5	0.5	2
284.2011.04	50	1.0	1.0	2
284.2011.05	100	1.0	1.0	2
284.2011.06	250	2.0	2.0	2
284.2011.07	500	5.0	5.0	1
284.2011.08	1000	10.0	10.0	1
284.2011.09	2000	20	20	1

**Cylinder, Rain Measure, Metric Scale Graduated.**



Cat. No	Size (mm)	Collector area cm <sup>2</sup>	Sub.Div. (mm)	Tolerance (±)
285.2011.01	20 rain	200	0.2	0.05
285.2011.02	20 rain	100	0.2	0.10

**Nessler Cylinder, for colour comparison Class "A", graduated**




Cat. No	Size (mm)	Collector area cm <sup>2</sup>	Sub.Div. (mm)	Tolerance (±)	Pack Size
286.2011.01	50	25 & 50	0.4	0.4	2
286.2011.02	100	50 & 1500	0.8	0.8	2

**Nessler Cylinder, for colour comparison, graduated**

287.2011.01	50	25 & 50			2
287.2011.02	100	50 & 1500			2

**Crow Receiver, Accuracy as per Class "A"**




Cat. No	Cap ml	Tolerance (±)	Pack Size
288.2011.01	25	0.04 & 0.1	2
288.2011.02	50	0.1 & 0.2	2
288.2011.03	100	0.2 & 0.4	2

**Crow Receiver, Accuracy As Per Class "B"**

289.2011.02	50		2
289.2011.03	100		2


**Cylinders, With Single Graduation Mark By 1000ml For Sedimentation Of Sand**



Cat. No	Cap (ml)
290.2011.01	1000


### Tubes, Culture, Media, Round Bottom, With Screw Cap & Teflon Rubber Liner.

Cat. No	Cap ml	O.D. x Length (mm)	Pack Size
300.2011.01	5	15x75	25
300.2011.02	10	15x125	25
300.2011.03	15	15x150	25
300.2011.04	25	18x150	25
300.2011.05	30	25x100	25
300.2011.06	45	25x150	25
300.2011.07	60	25x200	25
300.2011.08	100	32x200	25




### Tubes, Culture, Media, Round Bottom, With Screw Cap & Rubber Liner.

Cat. No	Cap ml	O.D. x Length (mm)	Pack Size
301.2011.01	5	15x75	25
301.2011.02	10	15x125	25
301.2011.03	15	15x150	25
301.2011.04	25	18x150	25
301.2011.05	30	25x100	25
301.2011.06	45	25x150	25
301.2011.07	60	25x200	25
301.2011.08	100	32x200	25



### Tubes, Culture, Media ,flat Bottom, With Screw Cap & Teflon Liner.

Cat. No	Cap ml	O.D. x Length (mm)	Pack Size
302.2011.01	5	18x45	25
302.2011.02	15	25x57	25
302.2011.03	30	25x95	25
302.2011.04	40	25x145	25




### Tubes, Culture, Media ,Flat Bottom, with Screw Cap & Ruber liner.

303.2011.01	5	18x45	25
303.2011.02	15	25x57	25
303.2011.03	30	25x95	25
303.2011.04	40	25x145	25


### Screw Caps For Culture Tubes, With Liner.

Cat. No	Size ml	Liner	Pack Size
304.2011.01	15	Rubber	50 Pcs
304.2011.02	25	Rubber	50 Pcs
304.0211.03	32	Rubber	50 Pcs




**Leighton Tubes, For Culture Work, With Screw Cap And Cover Slip**

Cat. No	Length (mm)	O.D. (mm)	Window Size (mm)	Pack Size
306.2011.01	125	16	11x37	10
306.2011.02	150	18	11x37	10




**Centrifuge Tubes, Conical Bottom, Graduated**

Cat. No	Cap. ml	Height x (O.D) mm	Pack Size
307.2011.01	5	100x13	25
307.2011.02	10	110x15	25
307.2011.03	15	120x17	25
307.2011.04	25	125x22	6
307.2011.05	50	125x28	6




**Centrifuge Tubes, Conical Bottom, Plain**

Cat. No	Cap. ml	Height x (O.D) mm	Pack Size
308.2011.01	3	76x10	25
308.2011.02	5	100x13	25
308.2011.03	10	110x15	25
308.2011.04	12	110x16	25
308.2011.05	15	120x17	25
308.2011.06	25	125x22	6
308.2011.07	50	125x28	6




**Centrifuge Tubes, with Screw Cap plain**


Cat. No	Cap. ml	Height x (O.D) mm	Pack Size
309.2011.01	10	110x15	10
309.2011.02	15	120x17	10








**Centrifuge Tubes, With Screw Cap Graduated**




Cat. No	Cap. ml	Height x (O.D)(mm)	Pack Size
310.2011.01	10	110x15	10
310.2011.02	15	120x17	10

**Centrifuge Tube, Conical Bottom, Graduated With Interchangeable Stopper**




Cat. No	Cap. ml	Pack Size
311.2011.01	5	25
311.2011.02	10	25
311.2011.03	15	25
311.2011.04	25	6
311.2011.05	50	6

**Centrifuge Tube, Round Botom, Graduated**



Cat. No	Cap. ml	Size Approx. mm	Pack Size
313.2011.01	12	16x110	10
313.2011.02	30	24x110	6
313.2011.03	40	28x110	6
313.2011.04	50	30x110	6
313.2011.05	100	45x110	6
313.2011.06	200	55x116	6


**Centrifuge Tube Short, Conical Botom, Pour Out, Heavy Duty, plain, 40ml**



Cat. No	Cap. ml
App.O.D. X L, 29x116mm	
314.2011.01	
Graduated to 10ml in 0.5ml & from 10ml, to 40ml, in 1ml.division	
315.2011.01	


### Test Tubes, Graduated, with interchangeable stopper

Cat.No	Size (mm)	Cap (ml)	Sub.Div. (ml)	Stopper size	Pack Size
316.2011.01	100x12	5	0.1	B10	10
316.2011.02	125x16	10	0.1	B12	10
316.2011.03	150x22	25	0.5	B19	10
316.2011.04	200x25	50	1.0	B19	10
316.2011.04	200x32	100	2.0	B24	10




### Test Tubes, with interchangeable stopper, Plain

Cat.No.	Length x Dia (mm)	Stopper Size	Pack Size
317.2011.01	100x12	B10	10
317.2011.02	125x15	B12	10
317.2011.03	150x18	B14	10
317.2011.04	150x25	B19	10
317.2011.05	200x25	B19	10
317.2011.06	200x25	B24	10
317.2011.07	200x38	B24	10




### Test Tubes, Round & Flat Bottom, with rim & w/o rim, Plain

Cat.No	Cap ml	O.D.x L x W.T (mm)	Pack Size
318.2011.01	3	10x75x1.0	100
318.2011.02	5	12x75x1.0	100
318.2011.03	8	12x100x1.0	100
318.2011.04	10	15x125x1.2	100
318.2011.05	25	18x150x1.2	100
318.2011.06	50	25x150x1.2	50
318.2011.07	75	25x200x1.2	50
318.2011.07	35	25x100	50
318.2011.07	15	15x150	100
318.2011.07	100	32x200	25
318.2011.07	175	38x200	25




### Test Tubes, Round Flat Bottom, with rim & W/o rim, Graduated

Cat.No	Cap ml	O.D.x L x W.T (mm)	Pack Size
319.2011.01	3	10x75x1.0	10
319.2011.02	5	12x75x1.0	10
319.2011.03	8	12x100x1.0	10
319.2011.04	10	15x125x1.2	10
319.2011.05	25	18x150x1.2	10
319.2011.06	50	25x150x1.2	10
319.2011.07	75	25x200x1.2	10




## Test Tubes, Neutral Hard Glass, Heat Resistant (per Pack Of 100)



Cat.No.	Size Approx. (mm)
320.2011.01	10x75
320.2011.02	12x100
320.2011.03	15x125
320.2011.04	15x150
320.2011.05	18x150
320.2011.06	25x150
320.2011.07	25x200
320.2011.06	12x75
320.2011.06	15x100

## BEAKERS


### Beakers Low Form, With Spout, Graduated,



Cat. No	Cap ml	Gra. (interval ml)	Pack Size
321.2011.01	50	10	10
321.2011.02	100	25	10
321.2011.03	150	50	10
321.2011.04	250	50	8
321.2011.05	500	100	3
321.2011.06	1000	200	3
321.2011.07	2000	-	3
321.2011.08	5000	-	1


## SEPARATING/DROPPING FUNNELS

### Separating Funnel, With Stopcock, Interchangeable Stopper, Conical/pear Shape With Plain Stem



Cat. No.	Cap ml	Qty/Pack
325.2011.01	25/30	2
325.2011.02	50/60	2
325.2011.03	100/125	2
325.2011.04	250	2
325.2011.05	500	2
325.2011.06	1000	2
325.2011.07	2000	2


### Separating Funnel, With Screw Type PTFE Key, Rota Flow



Cat. No	Cap ml	Qty/Pack
<b>Stopcock, interchangeable Stopper, Conical/Pear shape with Plain Stem</b>		
326.2011.01	25/30	2
326.2011.02	50/60	2
326.2011.03	100/125	2
326.2011.04	250	2
326.2011.05	500	2
326.2011.06	1000	2
326.2011.07	2000	2


**Separating Funnel With Screw Type PTFE Key, Interchangeable Stopper**

Cat. No	Cap ml	Pack Size
<b>Conical/Pear shape with Plain Stem</b>		
327.2011.01	25/30	2
327.2011.02	50/60	2
327.2011.03	100/125	2
327.2011.04	250	2
327.2011.05	500	2
327.2011.06	1000	2
327.2011.07	2000	2




**Separating Funnel, With Stopcock, Interchangeable Stopper,**

Cat. No	Cap ml	Pack Size
<b>Globe shape with Plain Stem</b>		
328.2011.01	25/30	2
328.2011.02	50/60	2
328.2011.03	100/125	2
328.2011.04	250	2
328.2011.05	500	2
328.2011.06	1000	2
328.2011.07	2000	2




**Separating Funnel, With Screw Type PTFE Key, Rota Flow Stopcock,**

Cat. No	Cap ml	Pack Size
<b>Interchangeable Stopper, Globe shape with Plain Stem</b>		
329.2011.01	25/30	2
329.2011.02	50/60	2
329.2011.03	100/125	2
329.2011.04	250	2
329.2011.05	500	2
329.2011.06	1000	2
329.2011.07	2000	2




**Separating Funnel ,with Screw Type PTFE Key, Interchangeable Stopper**

Cat. No	Cap ml	Pack Size
<b>Conical/Pear shape with Plain Stem</b>		
330.2011.01	25/30	2
330.2011.02	50/60	2
330.2011.03	100/125	2
330.2011.04	250	2
330.2011.05	500	2
330.2011.06	1000	2
330.2011.07	2000	2




**Dropping Funnel, Cylindrical With Interchangeable Stopper ,and Stopcock Plain Stem**




Cat. No	Cap ml
331.2011.01	50
331.2011.02	100
331.2011.03	150
331.2011.04	250
331.2011.05	500
331.2011.06	1000

**Dropping Funnel, Cylindrical,**




Cat. No	Cap ml
<b>Graduated with interchangeable Stopper and Stopcock Plain Stem.</b>	
332.2011.01	50
332.2011.02	100
332.2011.03	150
332.2011.04	250
332.2011.05	500
332.2011.06	1000

**Dropping Funnel, Cylindrical, With Screw Type PTFE Key**



Cat. No	Cap ml
<b>Rotaflow Stopcock interchangeable Stopper, Stopcock Plain Stem.</b>	
333.2011.01	50
333.2011.02	100
333.2011.03	150
333.2011.04	250
333.2011.05	500
333.2011.06	1000

**Dropping Funnel ,cylindrical, Graduated With Screw Type**




Cat. No	Cap ml
<b>PTFE key Rotaflow Stopcock interchangeable Stopper, Stopcock Plain Stem.</b>	
334.2011.01	50
334.2011.02	100
334.2011.03	150
334.2011.04	250
334.2011.05	500
334.2011.06	1000

SEPARATING/DROPPING FUNNELS


**Dropping Funnel Cylindrical,**

Cat. No	Cap ml	Cone
<b>Open top with Stopcock Stem with Cone.</b>		
335.2011.01	50	B19
335.2011.02	100	B19
335.2011.03	100	B24
335.2011.04	250	B19
335.2011.05	500	B24




**Dropping Funnel ,**

Cat. No	Cap ml	Cone
<b>Cylindrical, Open top with Screw type PTFE key, Rotaflow Stopcock Stem with Cone.</b>		
336.2011.01	50	B19
336.2011.02	100	B19
336.2011.03	100	B24
336.2011.04	250	B19
336.2011.05	500	B24




**Separating Funnel, Pear Shape With Socket, Stopcock And Stem With Cone But Without Stopper**


Cat. No	Cap ml	Socket	Cone
337.2011.01	25	B14	B14
337.2011.02	50	B14	B14
337.2011.03	50	B19	B19
337.2011.04	100	B14	B14
337.2011.05	100	B19	B19
337.2011.06	250	B14	B14
337.2011.07	250	B19	B19
337.2011.08	500	B19	B19
337.2011.09	500	B24	B24
337.2011.10	1000	B19	B19
337.2011.11	1000	B24	B24




**Separating Funnel, Pear Shape With Socket, Screw Type**

Cat. No	Cap ml	Socket	Cone
<b>PTFE key Rota flow Stopcock &amp; Stem with Cone but W/o Stopper</b>			
338.2011.01	25	B14	B14
338.2011.02	50	B14	B14
338.2011.03	50	B19	B19
338.2011.04	100	B14	B14
338.2011.05	100	B19	B19
338.2011.06	250	B14	B14
338.2011.07	250	B19	B19
338.2011.08	500	B19	B19
338.2011.09	500	B24	B24
338.2011.10	1000	B19	B19
338.2011.11	1000	B24	B24






**Dropping Funnel, Cylindrical With Socket, Stopcock And Stem With Cone But Without Stopper**




Cat. No	Cap ml	Socket	Cone
339.2011.01	25	B14	B14
339.2011.02	50	B14	B14
339.2011.03	100	B19	B19
339.2011.04	100	B19	B19
339.2011.05	250	B19	B19
339.2011.06	500	B19	B19
339.2011.07	1000	B19	B19

**Dropping Funnel, Cylindrical With Socket, Screw Type PTFE**



Cat. No	Cap ml	Socket	Cone
<b>key Rota flow Stopcock and Stem with Cone but without Stopper</b>			
340.2011.01	25	B14	B14
340.2011.02	50	B14	B14
340.2011.03	100	B19	B19
340.2011.04	100	B19	B19
340.2011.05	250	B19	B19
340.2011.06	500	B19	B19
340.2011.07	1000	B19	B19


**Pressure Equalizing Funnel, Cylindrical With Socket, Stopcock And Stem With Cone**



Cat. No	Cap ml	Socket	Cone
341/1	100	B19	B19
341/2	100	B24	B24
341/3	250	B19	B19
341/4	250	B24	B24
341/5	500	B19	B19
341/6	500	B24	B24
341/7	500	B34	B34


**Fractionating Columns, Vigrex**

Cat. No	Socket	Cone	Effective Length mm
350.2011.01	B24	B24	360
350.2011.02	B24	B24	600
350.2011.03	B29	B29	360
350.2011.04	B34	B34	750




**Fractionating Columns Dufton**

Cat. No	Socket	Cone	Effective Length mm
351.2011.01	B24	B19	150
351.2011.02	B24	B19	300
351.2011.03	B24	B24	150
351.2011.04	B24	B24	300



**Fractionating Columns, Pear Bulb**

Cat. No	Socket	Cone	Effective Length mm
352.2011.01	B34	B24	130
352.2011.02	B34	B24	250
352.2011.03	B34	B24	500



**Fractionating Columns, Plain designed for use with various types of columns packing**


Cat. No	Socket	Cone	Effective Length mm
353.2011.01	B24	B24	250
353.2011.02	B24	B24	500
353.2011.03	B24	B24	750
353.2011.04	B34	B24	250
353.2011.05	B34	B24	500
353.2011.06	B34	B34	600







**Filtering Apparatus Wit's,**




**Cat. No.**

Complete with flanged jar, flanged lid, funnel and 250ml Beaker

356.2011.01

**Filter Apparatus,**




Cat. No	Flask Cap.ml	Crucible Cap. ml
---------	--------------	------------------

Complete with filter flask, gooch crucible with Sintered Disc of Porosity G-0 or G-1 or G-2 or G-3 or G-4, glass adapter and rubber cone

357.2011.01	250	30
357.2011.02	500	30
357.2011.03	1000	50

**NOTE: - Please mention Porosity of Sintered Disc while placing order**

**Filter Apparatus, Complete With Filter Flask,**




Cat. No	Flask Cap ml	Crucible Cap ml	joint
---------	--------------	-----------------	-------

with Socket and Buckner Funnel with of Porosity G-0 or G-1 or G-2 or G-3 or G-4, having cone

358.2011.01	250	80	B24
358.2011.02	500	200	B24
358.2011.03	1000	500	B29
358.2011.04	2000	1000	B29

**Crucible, Gooch Type With Sintered**




Cat. No	Cap ml
---------	--------

**Disc of Porosity G-0 or G-1 or G-2 or G-3 or G-4,**

359.2011.01	15
359.2011.02	30
359.2011.03	50


### Buckner Funnel, With Sintered Disc

Cat. No	Cap ml	Disc mm
<b>Of Porosity G-0 or G-1 or G-2 or G-3 or G-4</b>		
360.2011.01	35	30
360.2011.02	80	40
360.2011.03	200	65
360.2011.04	500	90
360.2011.05	1000	120




### Millipore Type, Membrane Filter Holder Assembly,

Cat. No	Membrane Dia mm	Funnel Cap ml	Flask Cap ml
<b>with Membrane support funnel, Flask and clamp, Standard Joint fitting</b>			
361.2011.01	25	25	250
361.2011.02	25	50	500
361.2011.03	47	300	1000
361.2011.03	47	300	2000
361.2011.03	47	300	5000



### Conical Filter (hirsch Type) With Sintered Disc


Cat. No	Cap ml	Disc mm
<b>of Porosity G-0 or G-1 or G-2 or G-3 or G-4</b>		
362.2011.01	20	20
362.2011.02	60	30
362.2011.03	100	30




## STIRRERS

### Stirrers Guides

Cat.No.	To fit stirrer shaft	Socket	Cone	Approx Stem length
382/1	6mm	B19	B19	200 mm
382/2	10mm	B 24	B 24	300 mm




**Mercury Seal Glands And Guide**




Cat.No.	To fit stirrer shaft	Cone	Approx Stem length
383.2011.01	6mm	B19	200 mm
383.2011.02	6mm	B24	200 mm
383.2011.03	8mm	B34	200 mm

**Mercury Seal Glands And Cap**




Cat. No	To fit stirrer shaft	Cone
384.2011.01	6mm	B19
38.2011.0/2	6mm	B24
384.2011.03	8mm	B34
384.2011.04	6 or 8mm	B24 with teflon tube
384.2011.05	6 or 8mm	B34 with teflon tube

**Stuffing Box Glands With Pulley**



Cat.No.	Material of Cone	To fit stirrer shaft	Cone
385.2011.01	PTFE	6mm	B19
385.2011.2	PTFE	6-8mm	B24
385.2011.03	PTFE	8mm	B34
385.2011.04	PTFE	10mm	B40
385.2011.05	PTFE	10mm	B50 with teflon tube


**Simple Glands With Cap**




Cat. No.	To fit stirrer shaft	Cone
386.2011.01	6mm	B14
386.2011.02	6mm	B19
386.2011.03	8mm	B324

**Weighing Bottles, With Interchangeable Stopper**


Cat. No	O.DxHt.(mm)	Cap ml
400.2011.01	40x30	20
400.2011.02	50x25	20
400.2011.03	50x35	35
400.2011.04	50x50	50
400.2011.05	60x45	40
400.2011.06	20x40	5
400.2011.07	25x50	15
400.2011.08	30x60	25
400.2011.09	40x80	60


**Weighing Bottles Tall Form, Cap. Type**


Cat. No	O.DxHt.(mm)	Cap ml
402.2011.01	18x40	7
402.2011.02	28x50	25
402.2011.03	38x60	55
402.2011.04	45x80	100


**Weighing Bottles Squat Form, Cap. Type**


Cat. No	O.DxHt.(mm)	Cap ml
403.2011.01	38x30	25
403.2011.02	45x30	45


**Bottle wide mouth with interchangeable stopper 15mm suba seals**

Cat. No	O.DxHt.(mm)	Cap ml
404.2011.01	60x30	25
404.2011.02	80x40	60
404.2011.03	80x50	100
404.2011.04	100x60	250
404.2011.05	135x75	500
404.2011.06	180x90	1000



**Specific Gravity Bottles,**



Cat. No	Cap ml
---------	--------

**Ground interchangeable capillary stopper "A"**


405.2011.01	5
405.2011.02	10
405.2011.03	20
405.2011.04	25
405.2011.05	50
405.2011.06	100

**Specific Gravity Bottles,**

**Ground in Capillary Stopper**

406.2011.01	5
406.2011.02	10
406.2011.03	20
406.2011.04	25
406.2011.05	50
406.2011.06	100


**Specific Gravity Bottles, Ground In Thermometer Range 0 To 50°C**



Cat. No	Cap ml
---------	--------

407.2011.01	25
407.2011.02	50


**Specific Gravity Bottles, Weld with Cap**



Cat. No	Cap ml	Inner Joint	Outer Joint
---------	--------	-------------	-------------

408.2011.01	10	B10	B14
408.2011.02	25	B10	B14
408.2011.03	50	B10	B14

**Specific Gravity Bottles, Hubbard, Conical.**




Cat. No	Cap ml
---------	--------


409.2011.01	25
-------------	----


**Specific Gravity Bottles, Hubbard, Cylindrical.**


Cat. No.	Cap ml
410.2011.01	25


**Reagent Bottles, NM, with interchangeable hex.flat head hollow stopper**


Cat. No.	Cap ml	Pack Size
411.2011.01	30	6
411.2011.02	60	6
411.2011.03	125	6
411.2011.04	250	2
411.2011.05	500	2
411.2011.06	1000	1
411.2011.07	2000	1
411.2011.08	5000	1
411.2011.08	10000	1


**Reagent Bottles, Wide Mouth, with interchangeable hollow stopper**


Cat. No.	Cap ml	Pack Size
412.2011.01	30	6
412.2011.02	60	6
412.2011.03	125	6
412.2011.04	250	2
412.2011.05	500	2
412.2011.06	1000	1
412.2011.07	2000	1


**Reagent Bottles, Narrow Mouth, with Screw Cap and Teflon liner**

Cat. No.	Cap ml	Pack Size
413.2011.01	30	6
413.2011.02	60	6
413.2011.03	125	6
413.2011.04	250	2
413.2011.05	500	2
413.2011.06	1000	1
413.2011.07	2000	1




**Reagent Bottles, wide Mouth, with Screw Cap and Teflon liner**




Cat. No	Cap ml	Pack Size
414.2011.01	30	6
414.2011.02	60	6
414.2011.03	100	6
414.2011.04	250	6
414.2011.05	500	6
414.2011.06	1000	3
414.2011.07	2000	3
414.2011.07	5000	2
414.2011.07	10000	1
414.2011.07	20000	1

**Dropping Bottles, fitted with ground in interchangeable stopper rubber teat**




Cat. No	Cap ml	Pack Size
418.2011.01	30	6
418.2011.02	60	6
418.2011.03	125	6
418.2011.04	250	2

**Bottles Aspirator, with interchangeable stopper,**




Cat. No	Cap ml
<b>Screw type PTFE key stopcock with interchangeable joint.</b>	
419.2011.01	1000
419.2011.02	2000
419.2011.03	5000
419.2011.04	10000
419.2011.05	20000






**Serum Bottles, with square type standard neck**

Cat. No	Cap ml	Neck I.D.	Body dia mm
420.2011.01	1	5	12
420.2011.02	3.5	7	18
420.2011.03	5	13	22
420.2011.04	10	13	25
420.2011.05	20	22	32
420.2011.06	50	22	44




**Woulf Bottles with joint necks.**

Cat. No	Cap ml
421.2011.01	250
421.2011.02	500
421.2011.03	1000




**Mac-Carney Bottles Complete with Aluminum Cap.**

Cat. No	Cap ml	Pack Size
422.2011.01	15	25
422.2011.02	30	25
422.2011.03	60	25
422.2011.03	100	25




**Bottles B.O.D with interchangeable stopper**

Cat. No	Cap ml	Pack Size
423.2011.01	125	2
423.2011.02	300	2




**Stopcock, Straight Bore**




Cat. No.	Bore size	Bore size
<b>With Borosil Solid Plug, Side Tube, Solid Plug, Side Tube Capillary</b>		
425.2011.01	1-2mm	3-4mm
425.2011.02	1-2mm	3-4mm

**Stopcock, Oblique Bore**




Cat. No.	Bore size	Bore size
<b>With Borosil Solid, Plug, Side Tube</b>		
426.2011.01	1-2mm	3-4mm
<b>With Borosil Solid, Plug, Side Tube Capillary</b>		
426.2011.02	1-2mm	3-4mm

**Stopcock, three ways double Oblique Bore**



Cat. No.	Bore size	Bore size
<b>With Borosil Solid Plug, Side Tube</b>		
427.2011.01	1-2mm	3-4mm
<b>With Borosil Solid Plug, Side Tube Capillary</b>		
427.2011.02	1-2mm	3-4mm

**Stopcock, three ways T, Bore**




Cat. No.	Bore size	Bore size
<b>With Borosil Solid Plug, Side Tube</b>		
428.2011.01	1-2mm	3-4mm
<b>With Borosil Solid Plug, Side Tube Capillary</b>		
428.2011.02	1-2mm	3-4mm



**Stopcock Vertical Drip,**


Stopcock, LType, Lower Limb Vertical, Hollow Plug, High Vacuum, .

Cat. No	Plug Bore mm.
430.2011.01	2
430.2011.02	4
430.2011.03	6
430.2011.04	8
430.2011.05	10




**Stopcock, for Burette**

Cat. No	Description
431.2011.01	With Solid Soda Plug
431.2011.02	With Solid Borosil Plug
431.2011.03	With Hollow Borosil Plug
431.2011.04	With PTFE Plug
431.2011.05	Rotaflow, PTFE Key, Screw type




**Stopcock, "C" Bore, Three way, 2m/44mm**

Cat. No	Bore size	Bore Size
<b>With Borosil Solid Plug, Side Tube</b>		
432.2011.01	1-2mm	3-4mm
<b>With Borosil Solid Plug, Side Tube Capillary</b>		
432.2011.02	1-2mm	3-4mm




**Stopcock, for Separating Funnel**

Cat. No	Bore mm
433.2011.01	2
433.2011.02	4
433.2011.03	6
433.2011.04	8
433.2011.05	10
433.2011.06	12



**Stopcock, for Aspirator 4mm Bore (PTFE)**



**Cat.No**

434.2011.01	Plain
434.2011.02	With B24 Cone
434.2011.03	With B29 Cone


**Stopcock for Kipp's apparatus, Bent**

**Cat.No**

435.2011.01
-------------

**SCREW TYPE PTFE KEY STOPCOCKS**


**Stopcock, Screw type PTFE key, with Two Plain Limbs.**



**Cat. No**                      **Limbs O.D. mm**

436.2011.01	8
436.2011.02	10
436.2011.03	12
436.2011.04	15

**Stopcock, Screw type PTFE key, with Two Limbs. Capillary**




**Cat. No.**                      **Bore**

437.2011.01	2mm
-------------	-----




**Stopcock, Screw type PTFE key, with Plain Limbs at Right Angle.**

Cat. No	Limbs O.D.mm
438.2011.01	8
438.2011.02	10
438.2011.03	12
438.2011.04	15



**Stopcock, Screw type PTFE key, with Two Limbs at Right angle Capillary**


Cat. No	Bore
439.2011.01	2mm



**PTFE (Teflon) KEY STOPCOCKS**


**Stopcock, for Burette, Straight Bore with PTFE key,**

Cat. No
440.2011.01




**Stopcock, Oblique Bore, with PTFE key**

Cat. No	Key Bore.mm
441.2011.01	2
441.2011.02	4
441.2011.03	6




**Stopcock, Straight Bore, with hollow plug, High Vacuum**




Cat. No	Plug Bore mm
442.2011.01	2
442.2011.02	4
442.2011.03	6
442.2011.04	8
442.2011.05	10
442.2011.06	12
442.2011.07	15

**Stopcock, Single Oblique Bore, with hollow plug, High Vacuum**




Cat. No	Plug Bore mm
443.2011.01	2
443.2011.02	4
443.2011.03	6
443.2011.04	8

**Stopcock, Three way Double Oblique Bore, High Vacuum**




Cat. No	Plug Bore mm
444.2011.01	2
444.2011.02	4
444.2011.03	6

**Stopcock, "T" or "V" type, hollow plug, High Vacuum**




Cat. No	Plug Bore mm
445.2011.01	2
445.2011.02	4
445.2011.03	6
445.2011.04	8




**Stopcock "L" type lower limb bent at R angle hollow plug, High Vacuum**

Cat.No	Plug Bore.mm
446.2011.01	2
446.2011.02	4
446.2011.03	6
446.2011.04	8
446.2011.05	10




**Stopcock "L" type lower Vertical hollow plug, High Vacuum**

Cat.No	Plug Bore.mm
447.2011.01	2
447.2011.02	4
447.2011.03	6
447.2011.04	8
447.2011.05	10




**Stopcock "L" type,**

Cat.No	Plug Bore.mm
<b>Two Limb with Mercury Cup Lower Limb Vertical, hollow plug, High Vacuum</b>	
448.2011.01	2
448.2011.02	4
448.2011.03	6
448.2011.04	8
448.2011.05	10



**Stopcock "L" type Three Limb, hollow plug, High Vacuum**

Cat.No	Plug Bore.mm
449.2011.01	2
449.2011.02	4
449.2011.03	6









**CHROMATOGRAPHIC APPARATUS**

CHROMATOGRAPHIC APPARATUS

**Chromatography Apparatus Semi Micro tap,**

**Cat. No**

12mm dia 10cm effective length with B14 socket, B19 Cone and fused sintered disc. Filtering flak 100mlwith B19 socket tamping rod 40cm, long.


451.2011.01

**Chromatography Apparatus**

**Cat. No**

Consisting of dropping funnel 250ml with B19 cone, reduction adapter with B19 socket and B24 cone. Column tube 2cm. Dia20cm effective length with B24 socket, B19 cone and fused sintered disc. Adapter with tap B19 socket B24 cone, filtering flask 250ml with B24 socket tamping rod 50cm.long

452.2011.01



**Chromatography Absorption Assembly**

**Cat. No**


Consisting of Buckner flask 1Ltr capacity B24 socket, tap adapter B24 cone B19 socket, cone adapter with filter disc B19 and B34 cones, column 50cm long with 1.5" pipe flange B34 socket, flange 1.5" B24 socket, metal flange with Teflon gasket reservoir globular 5ltrs.B24 cone,B34 socket, cone adapter B34 cone.

453.2011.01


**Chromatography Absorption Assembly**

With 90cm column with D-2" Pipe flange

454.2011.01




**Chromatography Columns, with integral sintered disc W/o stopcocks**




Cat. No.	Effective Length cm	Disc Dia mm
455.2011.01	15	10
455.2011.02	20	15
455.2011.03	30	15
455.2011.04	40	20
455.2011.05	40	30
455.2011.06	50	30
455.2011.07	50	40
455.2011.08	60	40
455.2011.09	100	40

**Chromatography Columns, with integral sintered disc, & stopcocks**




Cat. No.	Effective Length cm	Disc Dia mm
456.2011.01	15	10
456.2011.02	20	15
456.2011.03	30	15
456.2011.04	40	20
456.2011.05	40	30
456.2011.06	50	30
456.2011.07	50	40
456.2011.08	60	40
456.2011.09	100	40

**Chromatography Columns,**



Cat. No.	Effective Length cm	Disc Dia mm
<b>with integral sintered disc, &amp; Screw type PTFE key Rotaflow Stopcock.</b>		
457.2011.01	15	10
457.2011.02	20	15
457.2011.03	30	15
457.2011.04	40	20
457.2011.05	40	30
457.2011.06	50	30
457.2011.07	50	40
457.2011.08	60	40
457.2011.09	100	40


**Chromatography Columns,**



Cat. No.	Effective Length cm	Disc Dia mm
<b>With integral sintered disc, and PTFE key stopcock.</b>		
458.2011.01	150	10
458.2011.02	300	10
458.2011.03	300	20
458.2011.04	450	20
458.2011.05	450	30
458.2011.06	600	30

**Plain Chromatography Absorption Columns, without stopcock**


Cat. No.	Effective Length cm	Disc Dia mm
459.2011.01	20	10
459.2011.02	30	15
459.2011.03	50	20
459.2011.04	60	25
459.2011.05	60	40
459.2011.06	100	50
459.2011.07	115	100
459.2011.08	180	100
459.2011.09	180	115


**Chromatography Absorption Columns, Plain with stopcock**


Cat. No.	Effective Length cm	Disc Dia mm
460.2011.01	20	10
460.2011.02	30	15
460.2011.03	50	20
460.2011.04	60	25
460.2011.05	60	40
460.2011.06	100	50
460.2011.07	115	100
460.2011.08	180	100
460.2011.09	180	115


**Chromatography Columns, Plain with screw type PTFE Rota flow stopcock**


Cat. No.	Effective Length cm	Disc Dia mm
461.2011.01	20	10
461.2011.02	30	15
461.2011.03	50	20
461.2011.04	60	25
461.2011.05	60	40
461.2011.06	100	50
461.2011.07	115	100
461.2011.08	180	100
461.2011.09	180	115


**Chromatography Columns, Plain with PTFE key stopcock**

Cat. No.	Effective Length cm	Disc Dia mm
462.2011.01	150	10
462.2011.02	300	10
462.2011.03	300	20
462.2011.04	450	20
462.2011.05	450	30
462.2011.06	600	30
462.2011.07		
462.2011.08		



**Albuinometer**




**Cat.No.**

**Esbach's in case**

475.2011.01

**Ureometer Deromus**




**Cat.No.**

**With stopcock for rapid determination in urine**

476.2011.01

**Ureometer Deromus**




**Cat.No.**

**Without stopcock**

477.2011.01

**Blood Sugar Tube**



**Cat.No.**

**With folin Wu. Cap.25ml marked at 4ml, 12.5ml and 25ml**

478.2011.01




**Tubes, Digestion**

**Cat. No**

**Folin Wu. Marked at 35ml and 50l, 25mm O.D, 200mm length**

479.2011.01




**Wintrobe Tubes,**

**Cat. No**

**100ml Graduated**

480.2011.01




**Wintrobe Tubes,**

**Cat. No**

**100ml Graduated, Neutral Hard Glass**

481.2011.01



**E.S.R Tubes,**

**Cat. No**

**200m Graduated, 300mm**

482.2011.01

**Tube for Kahn and Wasserman test,**


**Cat.No.**

**Size mm**

483.2011.01


75x12m

**Kahn's Antigen Dilution Tube,**




Cat.No.	Size mm
484.2011.0	155x18mm, Flat Bottomx

**Wasserman Tube, Rimless**




Cat.No.	Size mm
485.2011.01	50 x 10 mm
485.2011.02	75 x 10 mm

**Dreyer's Agglutination, Conical Bottom**



Cat.No.
486.2011.01




**Durham Tube, Rimless**

Cat.No.	Size mm	Pack Size
487.2011.01	25 x 6 mm	100
487.2011.02	37 x 6 mm	100
487.2011.03	50 x 6 mm	100




**Murphy Drip,**

Cat.No.
488.2011.01




**Widal Tube Conical Bottom,**

Cat.No.
489.2011.01




**Co-Agulation tubes,**

Cat.No.
<b>(Melting point tube) capillary length 100mm</b>
490.2011.01




**Thurmburg Tube,**



Cat. No	Length mm	Dia mm
491.2011.01	170mm	14mm
491.2011.02	250mm	18mm

**Plain Microscope slides (pack of 50)**




Cat. No	Size mm
492.2011.01	75 x 25 x 1.3mm
492.2011.04	Ground Edges & one side at one end 19mm frosted surface

**Cover Slips, (pack of 10gm)**




Cat. No
18mm, Round or Square
493.2011.01

**Counting Chamber,**



Cat. No
Double Ruling, Bright Line
494.2011.01





**Haemocytometer,**

**Cat. No**

**in velvet box with counting chamber ,R.B.C and W.B.C pipettes**


495.2011.01



**R.B.C Pipette,**

**Cat. No**


496.2011.01



**W.B.C Pipette,**

**Cat. No**

497.2011.01



**Petri Dish, Borosilicate Glass**


**Cat. No**

**Size mm**


**Soda Glass**

498.2011.01

100mm x17mm,



**Schoinger Micro Combustion Flask**



**Cat. No**

**Price Per Pc.**

(Oxygen Flask) with platinum wire gauze sample carrier for determination of Halogens, Sulphur, Phosphorous, metals etc.

516.2011.01

**Colorimetric Tube**

**Cat. No**

Flat Bottom with B24 Standard socket, total length 280mm, O.D28mm with stopper

517.2011.01

**Colorimetric Tube without stopper**

518.2011.01

**Colorimetric Tube**

**Cat. No**

Flat Bottom with Flat head solid stopper O.D25m, length 150mm, approx. With small Test Tube inside the wall of tube.

519.2011.01

**Ampule Filing Device**



**Cat. No**

**With Valves**

520.2011.01



**Kjeldhal bulb connecting ,sloping, single**

Cat. No.	Bulb O.D. mm	Tube O.D. mm
521.2011.01	50	10
521.2011.02	65	10


**Kjeldhal bulb connecting, vertical**

**Kjeldhal bulb connecting with two bulbs**

522.2011.01
-------------

**Dirt Correction Apparatus 1000ml with stopcock**

Cat. No.	Type
523.2011.01	Plain
523.2011.02	Graduated



**Steam Trap**


Cat. No.
524.2011.01

**Acetylation Unit**


Cat. No.	Size mm
<b>With air condenser 1meter long fitted with B24joint, 250ml</b>	
525.2011.01	

**Acetylation Unit**

<b>500ml flask</b>	
526.2011.01	




**Wash Bottle with interchangeable joints**




Cat. No.	Cap ml
527.2011.01	250
527.2011.02	500
527.2011.03	1000

**Thiele's Melting Point Tubes**




Cat. No.	Size mm
528.2011.01	150 x 18
528.2011.02	150 x 25

**Melting Point Tubes Beaker type**



Cat. No.	Cap ml
529.2011.01	250
529.2011.02	500


**Melting Point Tubes Junge's**



Cat. No.
530.2011.01



**Melting Point Tubes**




**Cat. No.**

**With standard joints**

531.2011.01

**Viscometer**



**Cat. No.**

**Ostwald, standard size, College Pattern, Center support**


532.2011.01

80-100 Sec

532.2011.02

100-120 Sec

**Stalganometer**




**Cat. No.**

**Straight, graduated**

534.2011.01

**Stalganometer**



**Cat. No.**

**Bent ,graduated**

535.2011.01

**Stalganometer**

**Cat. No.**

**Set of Three (One straight,two bent) in velvet lined box**

536.2011.01

**Weight Thermometers**

**Cat. No.**

**Cap ml**

537.2011.01


5

537.2011.02

10

537.2011.03

25



**Pyknometer's**

**Cat. No.**

**Cap ml**

538.2011.01


5

538.2011.02

10

538.2011.03

25



**Retorts with interchangeable stopper**

**Cat. No.**

**Cap ml**

539.2011.01

100

539.2011.02

150

539.2011.03


250


539.2011.04

500

539.2011.04

1000





**Filter Pump**


**Cat. No**  
**University Patern**  
 540.2011.01

**Filter Pump**

**Cat. No**  
**Superior quality**  
 541.2011.01


**Filter Pump**

**Cat. No**  
**Edwards type heavy pattern, Brass**  
 542.2011.01




**Adapter**

**Cat. No**  
**For Leibig's condenser straight or bent**  
 543.2011.01



**Adapter Gooch Crucible**

Cat.No.	Cap ml
544.2011.01	15
544.2011.02	30
544.2011.03	50
	70



• SERVING SCIENCE SINCE 1997 •



**DUROLAB**

Ambala Cantt.133 001 (INIDA)

Mob.+91-9896215414

E-mail-durolabsales@ gmail.com